

Claims

1-95. (canceled)

96. (previously presented) A method for detecting a target in a sample, comprising:
- immobilizing the target in a reaction vessel;
 - contacting the target with a signal probe, wherein the signal probe comprises a recognition component and a signal template component, wherein the recognition component specifically binds directly or indirectly to the target and the signal template codes for a signal molecule, wherein the signal molecule comprises a recognition head and an electrically charged tail;
 - producing the signal molecule using the signal template component coding for the signal molecule; and
 - detecting the signal molecule at a detection surface, wherein the detection surface comprises an affinity binding molecule, wherein the recognition head of the signal molecule specifically binds to the affinity binding molecule and the electronically charged tail of the signal molecule brings a charge to the detection surface that is detected and indicates the presence of the target in the sample.
97. (original) The method of claim 96, further comprising removing any signal probe that is not specifically bound to the target immobilized in the reaction vessel.

98. (withdrawn) A method of detecting biological substances, comprising:
interacting a biological sample with a plurality of transistors in a circuit, each transistor having a gate, the circuit including an electrical signal; and
modifying electrical properties of the circuit in response to a biological substance in contact with at least one gate.

99. (previously presented) The method of claim 96 wherein the detection surface further comprises a spacer molecule.

100. (previously presented) The method of claim 96 wherein the recognition component binds directly to the target.

101. (previously presented) The method of claim 96 wherein the recognition component binds indirectly to the target.

102. (previously presented) The method of claim 96 wherein the affinity binding molecule is immobilized on the detection surface.

103. (previously presented) The method of claim 102 wherein the affinity binding molecule is directly immobilized on the detection surface.

104. (previously presented) The method of claim 102 wherein the affinity binding molecule is indirectly immobilized on the detection surface.

105. (previously presented) The method of claim 96 wherein the affinity binding molecule is an organic molecule or a biomolecule.

106. (previously presented) The method of claim 105 wherein the affinity binding molecule comprises a protein.

107. (previously presented) The method of claim 106 wherein the affinity binding molecule comprises an antibody.

108. (previously presented) The method of claim 105 wherein the affinity binding molecule comprises a nucleic acid.

109. (previously presented) The method of claim 99 wherein the spacer molecule is directly immobilized on the detection surface.

110. (previously presented) The method of claim 109 wherein the spacer molecule is a non-polymeric organic molecule.

111. (previously presented) The method of claim 109 wherein the spacer molecule is a polymeric organic molecule.
112. (previously presented) The method of claim 96 wherein the signal molecule comprises an RNA transcript.
113. (previously presented) The method of claim 96 wherein the signal molecule comprises a tag peptide.
114. (previously presented) The method of claim 96 wherein the signal molecule comprises a biotinylated antigen.
115. (previously presented) The method of claim 96 wherein the signal molecule comprises an RNA aptamer that specifically binds to the affinity binding molecule.
116. (previously presented) The method of claim 96 wherein the signal template component comprises a DNA template.
117. (previously presented) The method of claim 96 wherein the recognition component comprises one of the group consisting of an antibody, an antigen, an enzyme, a nucleic acid, a polypeptide, and a substrate that specifically binds to a polypeptide.

118. (previously presented) The method of claim 96 wherein the target is selected from the group consisting of a nucleic acid, a polypeptide, a carbohydrate, a lipid, a cell, and a virus.

119. (previously presented) The method of claim 96 wherein the electrically charged tail comprises a nucleic acid or a polypeptide.

120. (previously presented) The method of claim 119 wherein the electrically charged tail comprises a poly-A tail.

121. (previously presented) The method of claim 96 wherein the detection surface comprises a semiconductor material.

122. (previously presented) The method of claim 121 wherein the semiconductor material comprises silicon, silicone dioxide, or a polysilicon.